

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office Address: DOMMISSIONER OF PATENTS AND TRADEMARKS

SERIAL NUMBER FILING DATE	FIRST NAMED INVENTOR	gwn, D.C. 2023 I	ATTORNEY DOCKET NO.
08/379,872 01/27/95	, FLACY	м	1170-4005
00/0/7,0/2 01/2//90	r unter	M	1173-480P EXAMINER
	1040 (0010	GOLDBER	ā, J
BIRCH STEWART KOLASCH	12M2/0918 · 8 BIRCH	ART UNIT	PAPER NUMBER
PO BOX 747 FALLS CHURCH VA 22040	0747		5
PHILES CHURCH VA 22040	-0747	1205	
		DATE MAILED:	20112102
is is a communication from the examiner in o			09/18/95
MMISSIONER OF PATENTS AND TRADE	MARKS :		
	· •	,	•
This application has been examined	Responsive to communication filed on	127/61	This action is made fir
			•
hortened statutory period for response to the	is action is set to expire month(s), se will cause the application to become abandor	<u>5_7</u> days fr ned. 35 U.S.C. 133	om the date of this letter.
IT THE FOLLOWING ATTACHMENT(S)			
IT I THE FOLLOWING ATTACHMENT(S)			
Notice of References Cited by Exam			atent Drawing Review, PTO-9- nt Application, PTO-152.
 Notice of Art Cited by Applicant, PT Information on How to Effect Drawin 		ce of (mormal Pater	R Application, P10-152.
TELL SUMMARY OF ACTION			
	ール		
• •			
Of the above, claims		ar	e withdrawn from consideratio
t. Claims			have been cancelled.
i. Claims			are allowed.
i. L Claims			
Ctaims 1,3,4 and 9-	<u> </u>	re subject to restrict	ion or election requirement.
This application has been filed with in	formal drawings under 37 C.F.R. 1.85 which are	acceptable for exa	mination purposes.
B. Formal drawings are required in respo	onse to this Office action.		
The corrected or substitute drawings in		, Under 37	C.F.R. 1.84 these drawings
are acceptable; not acceptable	(see explanation or Notice of Draftsman's Pater	nt Drawing Review,	PTO-948).
The proposed additional or substitute	sheet(s) of drawings, filed on	has (have) been	approved by the
examiner; disapproved by the exa			
I. The proposed drawing correction, filed	d, has been □appro	rved; 🗖 disapprove	d (see explanation).
2. Acknowledgement is made of the clair	m for priority under 35 U.S.C. 119. The certified	d copy has been	received not been receive
been filed in parent application, ser	rial no; filed on	·	
3. Since this application apppears to be	in condition for allowance except for formal matt		to the merits is closed in
accordance with the practice under Ex	k parte Quayle, 1835 C.D. 11; 453 O.G. 213.		
6. Other	**************************************	`,	•

Serial Number: 08/379,872

Art Unit: 1205

Restriction to one of the following invention is required under 35 U.S.C. 121.

Group I. Claims 1, 3, and 4, drawn to treating cancer employing different compounds alone.

Group II. Claims 9-12, drawn to employing an enhanced combination of anticancer agents.

If applicants elect Group I, they are further required to elect a specific compound for examination in the merits.

If applicants elect Group II, they are further required to elect a specific combination of one anticancer agent with another and anticancer agent and to add a claim to the elected combination.

The several inventions above are independent and distinct, each from the other, as they have acquired a separate status in the art of treating cancer as a separate subject matter for inventive effect and require independent searches. It is noted that a reference to one enhanced combination of ingredients would not be a reference to another enhanced combination of ingredients under 35 U.S.C. 103. Further, the claims read on a multitude of enhanced combinations which would require many fields of searches that would be an undue burden on the examiner. Therefore restriction for examination purposes is proper.

Applicants are required to make a provisional election even though this requirement is traversed.

Art Unit: 1205

A facsimile center has been established in Group 1200, room 3C10. The hours of operation are Monday through Friday, 8:45 AM to 4:45 PM. The telecopier numbers for accessing the facsimile machine is (703) 308-4556 or 305-3592.

GOLDBERG:jd SEPTEMBER 14, 1995

JEROME D. GOLDBERG PRIMARY EXAMINER GROUP 1200 -3-